HealthFlow

Your Lab Name, Diagnostics & Pathology
Main Road, Your City · +91 98765 43210

Verified Report
Scan to confirm this is the authentic copy at healthflow.in

Mrs. Anita Kumari

AGE / SEX	PATIENT ID	BILL NO
34 Y / Female	**HF-P-004821**	**HF-26-000114**
REFERRED BY	SAMPLE	REPORTED
Dr. S. Nair	**Whole Blood (EDTA)**	**12 Jul 2026, 13:35**

Glycated Haemoglobin (HbA1c)

HPLC · Bio-Rad D-10

TEST	RESULT	UNIT	REFERENCE RANGE
Glycosylated Haemoglobin (HbA1c)	7.4 ↑	%	4 - 6
INTERPRETATION (ADA 2016 CRITERIA)			
Non-Diabetic			4 - 6 %
Good Control			6 - 8 %
Fair Control			8 - 10 %
Poor Control			Above 10 %

CLINICAL NOTES

- HbA1c reflects the average blood glucose concentration over the preceding 2 to 3 months and is not affected by recent meals.
- HbA1c results may be unreliable in conditions affecting red blood cell survival (e.g., haemolytic anaemia, recent blood transfusion, haemoglobin variants, significant blood loss, or pregnancy).
- Results should be interpreted in conjunction with clinical findings and plasma glucose measurements where appropriate.

SAMPLE FORMAT

Mr. R. Verma
DMLT · Lab Technician

Dr. R. Sharma
MD (Pathology) · Consultant

- END OF REPORT -

SAMPLE report format for demonstration only. Fictional patient and results, not a real medical report. Reference ranges are examples; every lab sets its own by method and population. Not valid for medico-legal purposes. Powered by HealthFlow.